

11-26-1849

## Record of cases presented to the class in the Jefferson Medical College

Eli K. Carithers

Follow this and additional works at: <https://jdc.jefferson.edu/medicalnotebooks>

 Part of the [History of Science, Technology, and Medicine Commons](#)

[Let us know how access to this document benefits you](#)


---

### Recommended Citation

Carithers, Eli K., "Record of cases presented to the class in the Jefferson Medical College" (1849). *Medical Student and Faculty Lecture Notes*. 18.

<https://jdc.jefferson.edu/medicalnotebooks/18>

This Article is brought to you for free and open access by the Jefferson Digital Commons. The Jefferson Digital Commons is a service of Thomas Jefferson University's [Center for Teaching and Learning \(CTL\)](#). The Commons is a showcase for Jefferson books and journals, peer-reviewed scholarly publications, unique historical collections from the University archives, and teaching tools. The Jefferson Digital Commons allows researchers and interested readers anywhere in the world to learn about and keep up to date with Jefferson scholarship. This article has been accepted for inclusion in Medical Student and Faculty Lecture Notes by an authorized administrator of the Jefferson Digital Commons. For more information, please contact: [JeffersonDigitalCommons@jefferson.edu](mailto:JeffersonDigitalCommons@jefferson.edu).






Marshall Supplication



Philadelphia Nov. 30<sup>th</sup> 1849

Record of cases presented to the class  
in the Jefferson Medical College - for  
the purpose of contrasting the way in  
which the Profs. examine and prescribe  
for patients - compared with others or dif-  
ferent schools. In the Medical Clinic  
a great majority of cases are chronic  
in their nature - and are such as do not  
very often <sup>occur</sup> in common country practice.  
Therefore they are valuable in a pract-  
icable point - and have been selected  
to demonstrate the various diseases.  
The surgical cases are highly interest-  
ing - as we can only become practi-  
cally familiar - with operations  
by seeing them performed - this way  
makes a lasting impressing. &c.







Property  
of  
Eli H. Carithers

Philadelphia

Pennsylvania  
Nov. 1849=

Samuel Stites  
Berrysburg  
Dauphin Co Pa


Eli H. Carithers  
Dr. Scheffey--

Dr. Carithers spent a life time of  
practice in Bloomington, Ill. - That  
you might enjoy this for your collection  
& if not, perhaps Mr. Wilson at the  
Library might use it.

Harold Rivatkin,  
Bloomington, Ill. -  
4/14/44/1

Jefferson 1920.







Philadelphia Nov. 26<sup>th</sup> A.D. 1849

---

Cases recorded regularly as they were prescribed for by the Prof. J. H. Michell. which do not often occur having some peculiarity.

Case 1<sup>st</sup> Louisa Bradley Age 32 years  
Complained of determination of blood to the head several times per day. being periodical in its nature. Cause thought to be anaemia. Treatment as follows —  
R. Ferri Carb. 4 gr.  
          Camph. 1 "  
          Capsicum 1 "

To be made into a pill. — One of which is to be given three times per day

Case 2 Elizabeth Montella Age 30 "

Disease — phthisis-pulmonalis active in its course. Told the patient she could not recover — treatment — only temporary — or palliative



Case 3 Robert Andless Aetas 3

Disease supposed to be inguinal  
hernia - was sent to Dr. Pancoast to be  
examined - Thought to be wormy - for  
which R<sup>y</sup>. Super. Tar. potassa x gr. Pul. Jalap  
vi gr. was given daily -

Case 4 Henry Hauberry Aetas 13

Disease - Epilectic fits of  
several years standing. Cause not  
known - Treatment

R<sup>y</sup>. Argenti. Nitras  $\frac{1}{3}$  gr.  
made into a pill - one 3 times per day.  
Infusion of radix serpentaria xx gr. once  
per day. continued for weeks.

Case. 5. John Forcythe Aetas 80

Disease - psoriasis of recent  
origin - principally in the groin.

Treatment - Unguentum Hydrargyri  
Opidi Rubri. Parts well anointed



Case 6 Peter Dibeau Actas 25  
Disease—

Sycosis Mentis

Contagious disease—inserted by shaving  
Treatment in last stage

Rx. Carb. Ammo.  $\times$ . gr

Sal. Ammo.  $\times$ .

diluted alcohol the vehicle— 11.3

December 2<sup>d</sup> 1849

Case 7 Mary J. Kirby Actas 26

Disease—Continual pain in the external  
part of the leg—Of eleven years standing—  
during which time menstruation has been  
more or less obstructed—Treatment Rx.

~~Hiara~~ Tiera at bed time. pediluvia—

Apply over the located pain the ointment  
of aconite—the strength of 1 gr.  
of aconite to 2 drachms of lard—This is  
said to be one of the best local applications—  
that can be used in painful  
affections.



Case 8 Mary Sweeney - Aetas 15  
Disease - Intermittent fever patient  
very anemic - ascities - slight delirium  
amenorrhoea - Treatment.  $\mathcal{R}$ . Pul. Spuca.  
et compositus  $\times$  gr. at night - warm pedilu.  
also at night

Case 9 Mary A. Bunk Age 15 y.  
Labouring under suppression of the cat-  
amenia - with edema of the lower extrem-  
ities - Treatment. Hirca pica at night  
and  $\mathcal{R}$ . Ferri Carb.  $\text{ii}$  gr Pul. Scille.  $\text{iii}$  gr. to be  
given twice daily - until it is no longer req.

Case 10 Adonile Getts Aetas 16  
Disease - More or less ulceration of  
the throat - and fungium - Treatment  
Iodide of potassa 5 gr. - three times  
per day - extensively diluted in water  
in all cases. Suspected the disease  
to depend upon specific cause. as  
syphilis



Case 11. Rigid Bursk Atlas 36 ye.

Disease—supposed to be impact-  
ion of the feces of the colon—  
Treatment. of a purgative as follows

R. pot chloride of Hyd.  $\times$  gr

Pul Radix rhei XVI gr. make  
into pills and give them in 24 hours

Case 12 Sarah A. Kennedy Age 20

Disease of the skin—Minor  
Ecthymata—Of many days standing  
Treatment as follows—R. arsenous ac-  
-id  $\frac{1}{4}$  gr. in pill—3 times per day—until  
cured or symptoms arise which would for-  
-bid its use longer.

Case 13 Alice Walters Atlas 22 y.

Disease—pains in the back  
and head—of a full plethoric habit—  
Treatment—Brisk cathartic and  
ordered to be bled 16 ounces—



Case 14 Ruth Bidelle Aetas 30

Disease inflammatory of  
pharynx - introduced proctang - with a  
solution of Argent. nitras.

Case 15 Ruth Cook - Aetas 30

Has not menstruated but twi-  
ce in the last year - general hea-  
lth somewhat impaired. Treatment  
Tinctura Canella alba et aloes - One spoon-  
ful - at night as going to bed.

Case 16 Mary Lendle Aetas 43

Complains of pain in the breast  
when pressure is made on the Sternum  
and particularly of pain over the lumbar  
vertebra - More or less leucorrhoea - all  
this a sign of irritation of the uterus.  
Treatment as follows - R<sup>x</sup>. Ext. Cicuta  $\frac{j}{4}$  gr  
Ext. belladonna  $\frac{j}{4}$  gr. Made into pills 1 to be  
given twice per day - also  $\frac{ij}{2}$  gr of Carb. of iron with  
3 gr. of Sulph. Quinac. - at night at bed time



Case 17 Catharine Burkes Age 24

Complains of pain over  
the region of the liver. Has leucorrhoea. Sensations of uneasiness in  
the womb. Has had four children.  
General health disturbed somewhat.  
Treatment - Extract of Cicuta  $\frac{1}{2}$  gr.  
three times per diem. Requested to  
return in a week.

Case 18 John B. Davis Aged 8 -  
Disease - cutaneous

eruption - on the mouth and  
cheeks - a very common disease  
at this age - for which the Tar  
ointment was prescribed. Rubbing  
the diseased part with it once or  
twice daily until cured



Case 19 James Evans Aet. 52

Has had intermittent fever for several weeks. Spleen very much enlarged. Treatment - as follows give Iodide of potassium five gr. at night - and arsenous acid  $\frac{1}{12}$  gr. three times per day after eating.

Case 20 Amanda Larkup Age 20.

Disease - partial aphonia caused by inflammation of the pharynx and fauces.

Treated as follows - introduced the probang - with a solution of Argent. Nitras - to be repeated - and given R<sup>y</sup>. plumbum acetat 1 gr. Bicarb  $\frac{1}{2}$  gr made in pill - three times per day In irritation of the larynx - the introduction of the probang - seems to do much good - using a solution of the nitrate of silver.



Case 21 Mary Megatin Aetas 25.

Has a disease of the follicles  
of the hair - Treated the case by hav-  
ing the scalp shaved - and applying  
the following compound R. Carb amm-  
onia ss.  $\frac{3}{4}$  Carb potassa ss.  $\frac{3}{4}$ . diluted absohi-  
ol 10. To be applied freely 3 times per day.  
Also liquor potassa arsenatas vii drops  
Three times per diem - To be continued  
until a change is observed.

Case 22 William McNeal Aetas 11 Mon.

Disease - supposed to be en-  
largement of the mesenteric glan-  
ds - for the relief of which - the  
Iodine ointment was prescribed  
externally and the iodide of potas-  
sium internally - to be continued  
until a change is produced.



Case 22 Mary Sular Aetās 38

Disease - not properly understood - abdomen enlarged and extremely sensitive to touch - also Fates points gave much pain upon pressure - The most singular case I ever witnessed. patient very nervous - treated as follows - give 15 drops of chloroform diluted three times per day - To come back on next prescribing day.

Case 23 Margrett Thompson Aetās 18

Disease - connected with suppression of catamenia - patient somewhat anemic - Treatment Ferri Carbo-nis  $\text{V gr.}$  Twice per day - and at bed time give a pill consisting of Olium Valer. 1 drop - Gummi Asafoetida  $\text{ii gr.}$  The latter prescription is given on account of the nervous irritability of the patient



Case 24 Francis Ogilvie Actas 28

Heas had intermittent for about  
Two months - of a tertian type - no very  
unusual symptoms - and treated as  
here given - Sulph Quina  $\text{V gr.}$  - in  
the morning fasting - to be continued for  
Twenty one days -.

Case 25 James Muller Actas 16

Complains of pain over the  
region of the spleen - is of a pleth-  
oric habit - Ordered to be bled  $\text{xvi} \frac{1}{3}$   
and briskly purged with a mercur-  
ial cathartic - Nothing else thou-  
ght to be required.



Case 27 Robert Hanner Age 18 y.  
Complains of neuralgic pains in the left side - which is not increased when pressed upon.  
And prescribed for this - ʒ gr. of Sulph. Quina - in the morning until the disease disappears.

Case 28 William McBord Aetas 16  
Has disease of the liver & the following symptoms - viz - constipation of the bowels - evacuations of a chalky appearance - more or less pain over the region of the liver, jaundiced condition of the skin &c.

Treatment - at night warm bath & 16 gr. of Speca. et Op. Comp. - And every morning an emetic consisting of Tar. emetic. To be continued for 3 or 4 days. Mercurials are avoided because of the patient's scrupulous tendency -



Case 30 John Lestley Aetas 18 years  
Has a thickening of the cut-  
-eguments of one hand - of several wee-  
-ks standing - and the treatment is this -  
arsenical ointment of the strength is gr to  
1 Ounce of lard - To be applyed often  
and covered by a glove at night washed  
off in the morning - Also take 5 drops  
of Fowlers solution of arsenic - three times  
per day - To be continued until a  
change is observed - on the disease.



Case 31 James Scleris Aetas 16  
Chronic dysentery of three month  
standing - attended with much pain - and  
little or no fever - with ordinary symptoms  
Treated this Rx. Pillula Hydrarg. 1ss gr.  
Opium 8ss gr. To be made into pills and  
taken three times per day.

Case 32 Grace Cranbury Aetas 52  
Has not menstruated for six ye-  
ars. bowels constipated with much  
pain - Stomach irritable and acid  
judging from what the patient ejects  
Treatment Rx. Aloes iii gr. Gamboge 5ss gr.  
Pillula Hydr. 1gr To be made into pills and  
taken as required.  
Also Take an Ferri Carb. 13. acetum Oi  
mix them together and take a full table  
spoonful three times per day.



Case 33 Adeline Stora Atlas 35

Complains of pain in the right side - about the region of the Ovary - with much enlargement - requested to make pressure by a strong bandage - and to take the following pill R. Iodide pot. 2 gr. Ext. Cicuta 1 gr. To be taken three times per day. Until a change is observed in the diseased.

Case 34 W. V. Hartson Age 1 year <sup>past</sup>  
He has had crusta lactea for several months - standing involving the entire scalp. Treated thus - give Arsenical solution 1 drop. every morning - locally use the Ointment of Thier - which consists of equal parts of Oint. Tar Oint. Sulphur and precipitate Ointment. This is a compound extensively used in this city in cutaneous diseases. Prof. Mitchell uses it extensively in his practice.



Case 35 Hugh McFadden Aetas 20

Heas had a cough for some months with palpetation of the heart - is very excitable - cannot sleep well at night - Treated thus - Argent. Nit <sup>ss</sup> gr. made into pill - one Taken twice per day - To be continued for one or two weeks - according to the effect.

Case 36 Jonathan Warner Age 30

Sycosis Mentis - Heas had for a month or more - This disease is said to depend upon the presence of vegetable fungi - in the hair follicles & is difficult to cure. Dr. Mitchell prescribed thus - Ammon. Murias <sup>ss</sup> 3. pot. Carb <sup>ss</sup> 3. Alca. dilutum <sup>ss</sup> 0. - dissolved & used freely as a local wash - Also to be Taken 3 Times per day V. drops liquor pot. arsen. - When a diuretic is at the same time used much larger doses of the arsenic will be taken



Case 37 Martha Maginas Age 35

Has a disease of the mucus glands of the nose - internal & external. & thus treated - Lignum potassa arsenatis v. drops three times per day - treated locally by using  
= 3/ Osmo. murias 13. pot. Carb. 13 Whiskey  
1 Gill - To be used freely from time to time. until the disease has subsided.

Case 38. John Hustus Aet 30

A man that has been labouring under alienation of mind - of a full plethoric habit. And treated thus - Bled once per day - from  $\text{XII} \frac{1}{2}$  to  $\text{XVI} \frac{1}{2}$ . and from the second to the fourth week bled from 6 to 10  $\frac{1}{2}$  every second day - At this time his health is much improved - Prof. Mitchell put him on the use of Argent. Nitras ss gr. morning & evening to be continued for two or three weeks for the purpose of hardening the brain & as a sedative



Case 39 Ellen Hustus Age 18

Complains thus - palpitation of  
the heart - constipation of the bowels  
suppression of the catamenia - And  
treated as follows - Serrae volatil tincture  
of guaiacum ss 3. tincture of digitalis  
i 3. Mixed - a table spoonful of which  
may be taken twice or thrice per day.

Case 40 Catharine Crofford Age 10

Supposed to be troubled with  
worms - the evidence of which is she says  
several have passed - also the symptoms  
indicate their presence - particularly the  
eruption on the skin - This sign says  
Prof. Michell when present may be  
relied upon with much certainty.  
The treatment was this - Calomel  
Rhubarb & aloes aa. ʒ gr. Taster Emetic  
i gr. Made into common sized pills  
and taken to the extent of purgation.



Case 41 Henry Coggin Age 32

Complains of pain in his stomach. Loss of appetite - rush of blood to the head once per month - skin dry, cold feet. costiveness - Treatment as follows - recommended matrimony  
Rx. Sulp. Iron 2 gr. Pulv. R. habent 2 gr digit. -  
Lis.  $\frac{1}{4}$  gr - Twice per day - warm pediluvium at bed time - Cause thought to be Masturbation.

Case 42 Marguerite Hogan Age 16

Is very costive & enervated of a sedentary habit - catamenia has not appeared - prescribed for her as follows - Small doses of one of the saline cathartics daily until the habit of evacuating daily is established - Caution about eating things that she knows from experience do not agree with her - &c  
In a few weeks much better.



January 2<sup>d</sup> 1850 —  
Prof. Dunglison takes charge of  
the Medical Clinic

Case 1 Mary A. Mc Glauken Age 10  
Has partial paralysis of the  
extremities — Thought to be owing to effu-  
sion of Blood in the surface of the  
brain — Has had the Ague for a few  
weeks — Recommended dry fric-  
tion to be used night & morning  
of the region of the spine — and  
nothing else.

Case Bridget Galihan Age 17  
Says her stomach hurts and  
swells after eating — as the cause  
is not very evident — The case was  
examined privately — But not re-  
ported — from neglect no doubt.



Case 3 - Henry Mc Cormie Age 20  
Carpenter - Palpitation of the  
heart - But no organic derangement -  
prescribed little or nothing

Case 4 Susan Stewart Age 20  
Pain in the back - chest - &c. Bad cough  
palpitation - Spits more or less blood  
for the last year - Dark blood - ven-  
ous - some fever every day - pulse rather  
full - incipient tuberculous -  
Treatment Iodide of Iron in liq-  
uid state - added to <sup>olive oil</sup> Sallet oil -  
To be continued many weeks

Case 5 Ann Hoil Age 50  
Complains of Constipation  
of the bowels - Treated thus  
℞ Suph Mag.  $\bar{3}$  Pot. bitrat. 13. M  
To quart water - Take a sufficiency  
To operate on the bowels



Case 6 - William Scott Age 16  
Weaver - Has ague & fever  
for two or three weeks - tertian type -  
Treatment as follows - Rf. cinch  
-ona powdered ss 3 three times per  
day continued for many days

Case 7 Ann Thompson Age 50  
Has had rheumatism for nearly  
two years - joints much swelled  
pains more severe at night than  
at other times - sweats at night -  
Bowel much constipated at 10  
days at one time - Sulph. Quina  
has been used extensively in this  
disease - Treatment Pulvis cinch-  
-ona ss 3 - three times per day -  
active friction used twice per  
day over the parts affected  
20 minutes at a time.



Case 8 James Mc Hart Age 6

Recommended that a poultice to be applied and the hair shaved off called *Tinea capitis tricosis* - keep the hair cut down - wash the head & wash with soap 6 times per day - wash the neck with a strong solution of *sulcratus* or carb. potassa -

Case 9 Mary Canway Age 52

Has a bad cough spits some blood - percussions good - has no appetite - with some pain in the stomach -

treatment - Olive oil & Croton oil an - applied over the chest at night Parigoric elixir given for the purpose of allaying the cough which is very troublesome



Case 10 Catharine Law Age 54  
Complains of pain in the  
stomach - and raises up towards  
her shoulders - not much oppor-  
tite - Treatment - R<sup>y</sup> Carb. Lig<sup>xv</sup>  
Magn. Carb. gr<sup>x</sup> Bismuth gr<sup>v</sup> Att<sup>v</sup>  
to be Taken once dga —

Case 11. Bats Herby Age 28  
Swelling of the face - follicu-  
lar disease of the skin - Treatment  
Teaspoonfull of Sulfph. of Magnesia every  
morning - Skin to be washed with a  
infusion of flax seed tea. Gentle  
purgative recommended as oc-  
casion requires —



Case 12-. Patrick Coile Age 45

Complains of cough and pain  
in the chest - auscultation reveals not-  
hing serious - Put on the use of *Clitus*  
*acellus Jacoris* - one Teaspoonfull 3 times  
per day - Tenuous diet allowed  
&c - Dr. Dunglison thinks Tuberculosis  
has commenced -

Case 13 - Margaret Graham Age 45

Has had ague - in an amenic  
condition - treated by giving  
Sub Carbonate of Iron &c  
three times per day -  
Nothing else thought to be neces-  
sary in the case &c



Case 14 James Love Age 22  
Complains of dyspepsia  
with pain in the left side  
Treated thus —  $\mathcal{R}$  Carb. lig.  $\times$  gr Mag. Sul-  
ph  $\times$  gr. Zingibar  $\sqrt{2}$  gr — Twice per  
day — Good diet — principally an-  
imal — allowed

Case 15 Margrith Murry Age 18  
Has been sick 3 months —  
vomited blood 1 qt. at one time —  
some times fever thirsty — shortness  
of breath — Treatment thus  
 $\mathcal{R}$  Mag. Sulph  $\mathfrak{z}$  vi — acid Sulp. dil.  $\times \times$  dr  
water  $\mathfrak{f}$   $\mathfrak{z}$  vi Am Take a Teaspoonful  
3 times per day — also it was  
thought proper to put her on the  
use of Olinum Jeconis asselli-  
a teaspoonful 3 times per day



Case 16 Abigail Boga Age 18  
Eruption about of the ear of two  
years standing - Troublesome To Treat  
wash the part of the ear - with  
pearlash and castile soap - several  
times per day. nothing else done

Case 17 George Crow Age 28  
Had a cough for six weeks  
dribbles on the right side - more or less  
fever every day - treated with - cod liver  
oil - one teaspoonfull 3 times per day -  
live on animal substances

Case 18 James Greenor Age 42  
Rheumatism of several  
weeks standing - Recommended  
him to be thoroughly <sup>rubbed</sup> every morning  
half hour every day - in order to make  
him have confidence give him cochineal  
tinct of - dont forget this treatment



Jan. 16<sup>th</sup> 1850 —

Case 19 — Michael Crowley Age 43  
Difficult respiration more  
or less coughing particularly in  
the morning — no derangement  
of a very severe nature on oscultation  
treated thus — unguentum  
Antimoni — nothing else given  
This was applied

Case 20 Richard Crivel Age 30  
Eruption on the foot of  
several months — called psoriasis  
treated as follows — A wash m-  
ade of a solution of carb. potassa  
used several times per day &  
also an ointment of creasote — app-  
lyed frequently —



Case 21 Jane McPee - Age 6.

Has had inflammation of the brain - encephalitis - loss of speech - which Dunghison things will disappear - prescribed Hydr. cum creta - Three times per week Don't forget that calomel may be given to children with impunity - But be careful at the age of dentition

Case 22 Elizabeth McPee - Age 6m

Child has more or less convulsions - in the morning of a few days standing - Prescribed as follows - Spicac iii gr. in the evening - in the morning 1 gr. of calomel - To be continued for several days -



Case 23. Emmor L. Edwards Age 10m.  
Crusta lactea - of not very long  
standing - Caught probably from another  
child - prescribed about as follows  
wash the child well with Castile soap  
5 times per day - after which it is  
to be greased with Goose grease -  
To be continued for one week - He is  
tall on Goose grease -

Case 24. William Looney Age 22  
He has had pain in the right side  
of the chest - oscultation reveals or-  
ganic derangement - and owing  
to this condition of things - it was  
thought to give Cod liver as the  
best remedy - This is thought  
to be a doubtful case -



Case 25 James Trumbell Age 25  
Head more or less diarrhoea  
for 6 months standing - not atten-  
-ded with much pain - discharging  
more or less blood - For this cond-  
-ition of things the oil of turpentine  
was prescribed 10 drops 3 time per day

Case 26 William Mc Graro Age 25  
Heas had more or less indigestion  
for one year - eats indiscriminately  
all things - consequently he was  
restricked as to his diet rigidly -  
recommended him to take a  
dose of Carbo. ligni 2 per day -



Case 27 Daniel Taggart Age 45  
Occupation Weaver - had  
cough for the last 6 years -  
auscultation good - prescribed  
for him externally unguentum  
antimon - & simple Syrup -  
To be Taken 3 or 4 times per day -

Case 28 Jane Gray Age 31  
Has coughed for 3 months  
with pain in the side the  
nature of which is not well  
understood - is to be prescribed  
for hereafter -



Hospital Clinic Dr. Wood Jan 23<sup>d</sup> 1850

Case of Swollen legs - dependent upon inflammation of some of the veins of the penis - The limb is much enlarged - in consequence of effusion - From this commencement the pulse was so weak that bleeding was inadmissible - calomel has been given to the extent of effecting slightly the mouth - Squills & digitalis were given as a diuretic - Blisters continued nutritious diet allowed

Case 2 Chronic Gastritis - had it for many days - vomited much for which he has mainly been put on the use of Nit. Silver - given  $\frac{3}{4}$  grs three times per day - Wood says that this is the best remedy we are in the possession in this disease



Case 3 Typhoid fever in the commencing-  
-ement he was very feeble requiring st-  
-imulation the symptoms are very deci-  
-ded - the Tongue has been very dry -  
more or less cough - oil of Turpentine he  
says is always one of the best remedies in  
this condition of the Tongue 10 drops 3 or 4  
times per day - Stimulated more or less

Case 4 - Swelling of the Joints recom-  
-mended the patient to be put to  
bed and Blistered over the Joints

Case 5 Case of anæmia of a Girl  
as there is no organic derangem-  
-ent she was put on a Tonic re-  
-sultant as the Carb. Iron & good  
diet &c



Case 6 Neuralgia of the lower extremities for which Sulfh. Quina was administered not accomplished the cure on account of affecting the head now giving 10 grs. of Carb. iron three times per. day—

Case 7 Case of paraplegia of some days standing cause not well understood— Has been treated as a rheumatic case— did not accomplish the effect— was then put on the oil of turpentine without effect likewise— pulse not excited nor any other disagreeable symptoms— put on the use of Blue pill 3 times per day— continue the Mercurial Tincture until constitutional signs present—



Case 8. Female anemiac had a child a few weeks ago more or less ulceration of the wound determined by the Speculum - and the nit silver applied - case doing well under the treatment

Prof. Dunglison - Jan. 28-50.

Case 29. Thomas Bail  
Chronic Rheumatism - oil of turpentine given - And the principle thing upon which he depends is friction if properly applied -

Dunglison says Sulph Quina is one of the best sedatives we are in possession of - in large doses -



Case 30 Sarah Daily Age 21

Has an affection of the joints particularly the shoulder & wrist - pulse active no other derangement worthy of notice - Prescribed thus 5 grs. of Sulph. Quina Three times per day - Sulph Magnesia - when required - &c.

Case 31 - Ellen Armstrong Age 21

Has had Ague & fever for many weeks - more or less cough & auscultation reveals ~~the~~ very great derangement of the lungs - pulse 120-130 hectic fever - he thinks there are cavities in the Lungs case unpromising - prescribed some of the preparations of Iron



Case 32 William Hays Age 32

Case of urticary of two months  
standings. Taken Sulphur & cream  
or tartar. Prescribed thus for it  
Soda Hyposulphate  $\text{vi}$  grs. 3 times  
per day.

Case 33 Alfred Reaves Age 19

Has cough spits much in the  
morning - pain in the chest  
appetite good - Left lung much  
affected or dull. The case is evidently  
one of Tuberculosis. The  
result is very doubtful - &  
prescribed for thus -

Take animal food fresh - Ung.  
antimonii Lignos ferri  
Iodidii



Case 34 Ellen Heager Age 15

Globus Histericus - the fits  
render her at times insensible -  
Danglison thinks it to a great ex-  
tent is assumed - gives a Misture  
diabolica. R. Tinct. assa. Tinct. cas-  
tora Tinct. aloes - aa. 6 Drops 3 times  
per day -.

Danglison says - when an amount  
of sugar is added to venous blood it  
will change it to a florid red as  
decidedly as when it is passed to the  
lungs -

Case 35. Janus Hagers Age 18 -

Cardialgia - of many days sta-  
nding - give his favorite prescription  
of Carbo. liq. Carb. Mag. Zingiberis  
aa. 7 grs. - given 3 times per day just  
before eating -



Case 36 - Peter Gumbo Age 30  
 Case of cardialgia or dyspepsia of some months standing prescribed for this - Soda bicarbonas 20 grs twice per day in conjunction with chamomile flowers infusion - To be continued -

Case 37 - Charles Bennington  
 He has had difficulty of breathing for many weeks coughed much oscultation not very bad - put on the use of Chlor. Mulivae teaspoonful 3 times per day - also Lignor Iodidum compositus - 10 drops 3 times per day -

Case 38 - Michael Clouche Age 3  
 Bronchitis - to be treated  
 This a simple cough syrup & pectoral &c -



Case 39. Hugh Campbell - Age 27

Is very anemic - has been affected with hydrophil effusions - percussion indicates a diseased action of the lungs particularly on the right side - treated thus a solution of the Iodide of Iron 10 drops 3 times per day - also an infusion of Juniper Berries & Bitartrate of Potassa.

Case 40 Michael Dudd Age 40

Weaver disease of the lungs coughs some - has spit blood not much. Good case for prescribing the Oleum Jecoris asellii - a dessert spoon full 3 times per day -

Case 41 Ellison. M<sup>rs</sup> Duffer Age 32

Head ache once in ten days Dunghison says when a headache comes in this way that it usually continues until 45 years -



give his favorite prescription  
least ligni & gr mag. Sulph. & gr  
Zingiber & gr - Three per day -

Case 42 Michael O'Brien Age 7  
Effection of the lungs particularly  
on the right side occultation  
very dull - depposition evidently  
tuberculosis - prescribed Olinum  
Jecoris asselle -

43 Case Sarah Bond Age 18  
Catamenies eruption of the  
hand - of two years standing -  
principally on the hand - treated  
three times Iodinum Compd. 10 drops  
3 times per day - in Syrup - ungu-  
entum acitatus -



Case 44- Susan Hamilton Age 29  
Has great constipation of the  
bowels - evacuation in 9 days usual-  
ly - digestion not very good  
prescribed for Thus - ~~Sulph~~ Mag-  
Bitart potassa - in conjunction  
with sub carb. Iron - Twice per day -

Case 45- Patrick McHenry - Age 29  
Complains of zidiness of head  
of long standing - digestion good  
not much the matter - fully innu-  
vation - thought to depend upon mu-  
sturbation - Put on the use of sub.  
carb. iron - pretty freely -

46- Owen Robertson Age 30 -  
has had a disease of the lower  
extremities - of long standing



47. Ann Jones Age 20  
Eruption on the face of 3 m-  
onth standing - a Syrop - consist-  
ing of vinegar Melasses & Butter struck  
together -

Case 48 Ellen McKeihley Age 60  
pain in the left side - flatu-  
lency of the bowels - Historical -  
prescribed thus - Carb lignic  
carb. Mag - aa - 7 gr. Zingiber 5 gr.  
Twice per day -

49 Case Michael Leach Age 30  
Pains all over and Sickness  
over the stomach - coughs more  
or less - has ~~spat~~ blood - not rec-  
-ently - prescribed nothing but  
the application of a pitch plaster  
with a small amt. of canthar-  
-allies to be continued for month



Case 50 John Pandle Age 40  
Sailor - generally worse after  
sailing long at a time - frame  
constitutional - recommended a pite-  
-h plaster with Cantharides

Case 51 - Philip O'Brien Age 20  
Labourer has rheumatism of a few  
weeks standing - for which a stim-  
-ulating liniment was prescribed - the  
friction considered the principal  
agent

Case 52 James Meulholland Age 13  
Has cough & fever every day - has  
passed worms - which Dr. says is of lit-  
-tle importance - the great indication  
is to destroy the tendency to worms -  
prescribed - Thus Oil of turpentine one  
drachm in Molasses - continued 2  
or three days - improve the tone of system



Case 53 Margaret Holless Age 45

Amorpha - constipation &c - for which a cathartic was given - consisting of Sulph. Mag. - passed many days without an evacuation -

Case 54 James Jones Age 10

Weaver has coughed more or less for the last year - Growing worse every month - has an eruption of the skin over the abdomen - For which was prescribed - liquor ferri iodide 10 drops 3 times per day -

Case 55 John Crow Age 40

Skin slightly inflamed legs enlarged - for which an alkaline wash was prescribed



Case 56 This case has been before us - several times - it being the one of supersens-  
-itive and enlargement of the abdomen  
for which Dr. Dunglison prescribed  
30 grs of subcarbonate of Iron - with  
a bandage lightly applied to the  
abdomen - a case which is hard to  
manage and very singular -

Case 57 Margaret Hamilton Age 5  
Eruption of the skin on the m-  
-outh & face of one year standing - Much  
like the crusta lacta - prescribed  
thus Rf. Rhei pulv. 1 part - Mag. calc 3 parts  
Zinc part 88 - Sufficiency each day -  
Argemone Zinc locally -

Case 58 Daniel Dier Age 29  
Has cough Spits Blood has  
had cholera &c. has had some  
fever - - Ordered in the case a



a mucilaginous expectorant - & also  
℞. Mag. Sulph. ʒiij dilute Sulph acid  
xx dr &c - given to the extent of acting  
on the bowels -

Case 59 Sarah Dize Age 12  
Loss of appetite - catarrhin  
not appeared - ordered anilind  
diet & some preparations of Iron

Case 60 Daniel Wing Age 30  
Heaven pain very severe in the upp-  
er extremity - for which friction was  
prescribed as the principal agent -

Case 61 Dennis McHatt Age 30  
Heaven tenderness over the region  
of the kidney - prescribed Magneto  
electricity -



Case 62 John Lyson Age 20  
Prominent symptoms - Cough  
pain in the breast

February 13<sup>th</sup> 1850 -

Case 63 Whorton Craig Age 30  
Hears a disease of the heart - the  
Bellones sound is plainly heard - Mo-  
-re or less regurgitation - at the heart  
In such cases there is no remedy that  
will do any good - Diet is the  
principal thing.

Case 64 John Walk Age 40  
Difficulty in walking - paraplegia  
- for which case was prescribed  
the Strichnia  $\frac{1}{16}$  of gr. 3 times per day  
to be continued until a sensible effect  
is produced. incontinence of urine -



Case 65 Patrick Heendly Age 80  
Defect in hearing of some standing  
not well understood to be examined  
further -

Case 66 Julia Sullivan Age 40.  
Bowel constipated - evacuations  
once per week - catamenia suppress-  
ed carb ligna &c prescribed - anim-  
-al diet &c.

Case 67 - Andrew Hozer Age 22  
sailor - complaint of pain in  
pulse quick - oscultation indicates dis-  
-ease of the lungs - for which the  
Olinum Jec. assellii - a teaspoonful  
three times per day -

Case 68 Thomas Andes Age 60  
Case of hemiplegia - came on  
suddenly - Cause thought to  
be a hemorrhage in the brain  
treatment nothing but friction -



Case 69 Emmor Willey Age 3-

Case 70 Mary Talbot Age 30

Has had Cucumber for many months bowels constipated for which a Sig Ferri-Iodide 3ii- water 0ii to used as a wash with a syringe 4 times per day—

Case 71- Patric Sandson Age 30

Heave- cough spits almost every thing- some blood- bronchitis treated externally by large antimo. in conjunction with Paragonie-



Case 73 Sarah Donioan Age 18<sup>74</sup>

Very anemic - thought to be  
fatty incrustation - No disease  
like organic derangement -  
treatment. Some of the prepar-  
ations of Iron - Animal diet -  
gentle exercise &c -

Case 74 John Dewy - Age 20  
Blacksmith - Head Swelling  
of the face & head - with sym-  
pathetic affection of the heart.  
The result of a debauch -  
For which a cathartic was given  
of Jalap & Bi tartarate of potassu  
to be continued 2 or 3 days



Case 75 Margrette Donovan Age 55  
Complains of severe pains  
in the small of the back & in  
one leg - case of neuralgia -  
For which the sub carbonate of  
Iron was given in very large  
doses - do not for get large  
doses must be given -  
in half drachm or more -

Case 76 William Herston Age 40  
He has a bad cold caught  
it by moving in a new house  
for which the house Mixture  
was prescribed with parag-  
oric 15 drops &c -

Case 77 David Hapel Age 60  
He has hemorrhage from the  
bowels - much pain in the  
intestines tanager crushed




for which a gentle  
purgative was given Cas-  
tor oil & laudanum - &c

Case 48 Henry Bailey Age 23  
pain in the breast - Dulness  
on the right side - On percussion  
thought to be slight deppos-  
ition - of a strumous habit -  
For which the liquor Iodide  
compositus - in simple syrup  
10 drops three times per day

Case 49 David Mc Bride 60  
Sciatic pains - affecting the  
lower extremities - Friction  
the remedy -







Philadelphia Penn. Nov. 28<sup>th</sup> 1849

Record of the most important cases  
operated upon by Profs. Mutter &  
Pancost - during the winter - which  
are worthy of note - as they pres-  
ented them to the class.

Case 1<sup>st</sup> Disease

Osteostosis - on the  
Temporal bone - which had been remov-  
ed once before - 11 inches at its base 2 inch.  
high - cut away about two-thirds - and  
then applied the actual cautery -

Case 2 Disease

Congenital aneurism  
by anastomosis - on the fore arm of  
a child - treated by passing through  
needles - and strangulated by ligatures  
after the part sloughs treat it as an ulcer  
or any thing of that nature.



### Case 3 Disease

Carries of one the bones of carpus - in the second stage of the disease Treatment of a tonic nature - allowing a generous diet and given Cast of iron.

Case 4 Young lady accidentally run a needle into her arm - as it could be felt it was cut down upon and removed never undertake to remove a foreign body without it can be distinctly felt

Case 4 Deformity - Known by the name of Hare-lip - in this case it is single - simply requiring the edges of the notch to be straightened and then bringing them together - after which the hare-lip needles should be passed <sup>through</sup> the lips and secured by ligatures. - in the course of 3 or 5 days - remove the pins by a gentle rotatory motion - and allow the parts to heal -



Case 6 Exostosis of the bone.

Situated on the Temporal bone


The dimensions of which are - 4 inches in diameter - and 2 inches in height

Made an incision through the skin and dissected <sup>it</sup> off. Then took a saw and cut through a part of the tumor - it proved to be soft within - consequently all of it was not removed. after the removal of about one half the tumor then the actual cautery was applied.

The reason why the entire disease was not cut off. Doubts were entertained as to the soundness of the bone underneath - This patient was operated on once before for the same disease. The chloroform was administered which had a very happy effect - the patient affirming that she was insensible to pain.




A description of the chimney, seen  
at the Deaf & Dumb Asylum to pre-  
vent smoking




If constructed thus  
wind may blow from any direction and yet  
the chimney will not smoke.

Modelle of the pleasuring railroad  
at Paris & London




Made of tin as  
a toy, very amusing.

Philisophical experiment with a chain  
or rod on the end of which may be a ball.



use a string made of leather  
as its is better than any other

A stove may be constructed in a manner that  
it will be required to be replenished <sup>but</sup> once in twen-  
-ty four hours



This is an excellent  
contrivance as there is  
no escape of smoke or  
dust into the room



## Case 7 Hypobium

A disease of the eye - when there is pus in the anterior chamber of the eye - it is an affection dependant upon specific inflammation - Put the patient on the protiodide of Mercury - If this remedy does not succeed - in absorbing the pus an incision must be made into the abscess - in order to give exit to the fluid

Case 8 Disease - Of many years standing - long cataract of the eye so as to incapacitate the eye - and to seriously derange the function of the other organ - As the office of one of the eyes is destroyed - The patient was recommended to change his employment - for one which he could obtain fresh air



Case 9 Orchitis - the testicle is in a state of acute inflammation swollen to the size of a goose-egg - very red in appearance - direct the patient to keep the horizontal posture be well purged - cold water application to the organ &c. until well.

Case 10 Disease - deafness caused by obstruction of the eustachian tube Treated thus. passed a director through the inferior meatus of the nose - into the posterior part of the pharynx - the director being slightly curved - drawn a little forwards & turned outwards into the orifice of the eustachian tube - then passed a current of air forcible into the tube which is to be repeated - causing little or no pain to the patient. or inconvenience at the time



Case 11 Staphyloraphy - The op-

-eration for cleft-palate - This was done by freshening the edges of the cleft - and then passing the Ligatures through in such a way as to bring the parts in coaptation and keeping them there until union is accomplished

Case 12 Extirpation of the parotid gland - In the first place an incision was made through the skin and it was dissected off the gland. Then all other tissues were divided until the gland was reached - after cutting away part of the styloid muscles - The back part of the gland was removed principally by the finger and <sup>handle of the</sup> Scalpel - The external & internal carotids were ligated & also the external jugular vein. Cutting the Vidian nerve which destroys the <sup>action of the</sup> muscles going to the face. Patient fainted twice during the operation - cut away the styloid process.



Case 13 Disease - Osteitis of an active character - The disease can be determined by pain on sudden shock - and bone much swollen in a general way - in this case the tibia is affected - and treated thus. Leeches freely applied - and the patient well purged. after a sufficient reduction of the inflammation give Iodide of potassium with a view of bringing about a healthy action in the diseased part and thus obviating the use of the knife

#### Case 14 Paronychia -

commonly known by the name of whitlow and when more grave called felon. inflammation of the finger nail involving the adjacent tissues. Prof. Mittre told us when the nail of the finger is loose from inflammation - that we should always remove it at once - which may be done by taking hold of it with a suitable pair of forceps - And twisting it off.



Case 15 Hypertrophy of the Tonsils.

Of several months standing - being the result of inflammation - These glands may be easily removed with proper instruments - And from the situation of the internal carotid artery care must be taken that it is not wounded - which may be readily done - by only cutting half the gland away - It is stated that the removal of this portion will be sufficient - To overcome the difficulty.



Case 16 Epistosis - on the os frontis  
of several months growth - The tumor was  
of the following dimensions viz - two inches  
in height & an inch in diameter at its  
base - Made an incision through the cut-  
-eguments so as to cover up the part after  
the excision of the tumor - And then saw-  
-ed into the body dividing it in the middle.  
and detaching it at its base with a chisel.

Case 17 Luxation of the femors -  
The deformity being congenital - The child  
is a female - This is a malformation  
which I hope never to see again - as not-  
-hing can successfully be done to remove it  
Dr. Mater is of opinion that the acetabul-  
-ar cavities are entirely wanting. The case  
is also complicated with club-foot.

Consequently the anxious mother was  
told to go home and let no one touch  
it.



Case 18 Necrosis of the radius  
at its inferior end. The patient being  
a boy about five years old. When a bone  
in this disease is found to be detachell  
it should then be removed and not be-  
fore - by making an incision down to the  
loose bone. and then treat the wound  
as any other - at the same time improve  
the patients constitution.

Case 19 Fatty Tumor -  
Situatell in  
the subcutaneous cellular tissue on  
the back of the neck - made a free  
incision through the skin and then  
utterly gouged it out with the fin-  
ger - and in this prevented hem-  
orrhage &c



Case 20 Obstruction of the ductus  
ad nasum. Producing a Tumor in the  
internal canthus of the eye - Treated  
thus - passing a sharp pointed bistoury  
through the stricture a pin made for the  
purpose was then passed into the nasal du-  
-ct - which may always be determined by  
requesting the patient to blow his nose. Whe-  
-en the blood will pass out of the nose. The pin  
must remain in the duct until the stricture is  
overcome permanently.

Case 21 Neuralgia of the  
of not long standing - produced  
by cold



Case 22 Noli-Me-Tangere —

a disease which is of a concu-  
-ous nature nearly always appearing on  
the face - or more particularly on the up-  
-per lip - This is a disease which gives  
the Surgeon much Tr<sup>u</sup>ble - And was  
treated thus - R<sup>x</sup>. Gum Elemi 1.3. Balsam  
Tolu 1.3. Basilicon Ointment ii.3. Applied  
freely and frequently - This compound was  
used very extensively by Dr. Phisic.

Case 23. Invasion ~~of~~ of the Toe Nail  
which is very common - and painful  
to the patient - And very troublesome to  
the physician - Treated thus - Take  
a piece of lint - and roll it well in  
burnt Alum and then - push it down  
around the edge of the inverted margin  
of the nail - and repeat this - as often  
as occasion may require. Dr. Water  
says that this will nearly always succeed



Case 24 Staphyloma - of the cornea - In this case it has produced entire blindness - from the opacity of the cornea - In a general way it is very difficult to cure - And in this case is very painful - from distention - The only chance for relief - is to open the eye and in this way remove the distention.

### Case 25 Encysted Hydrocele

Said to be congenital - Boy about five years old. Treated by - Acupuncture - by the insertion of two or more needles - this will do very well in children - instead of making an large opening. In children no stimulating injection must be used - On account of the tendency to inflammation



Case 25 A man who has been affected with inflammation of the eye - the result of which is the patient sees doubly - and his eye is very painful - Prescribed for thus - active purgation to be continued for many days - and locally some anodine - may be used. forgotten what.

Case 26 Disease called Elephantiasis - Barbadoes - This case is of several years standing - The extremity is 3 or 4 times its natural size - has an unnatural white appearance - is rugous & somewhat scaly. This is a disease for which little or nothing can be done.

Prof. Mutter directed him to apply a bandage tightly and occasionally a small blister - Giving the patient but little encouragement as to recovery.



Case 27 - Carcinoma of the in-  
ferior maxillary and base of the tongue  
Prof. Pancost - Two weeks ago - removed  
the diseased at that time. It has  
rapidly returned - and treated thus  
an angle was made in the mouth  
extending to the base of the bone - dis-  
secting off the skin - then about hal-  
f of the bone longitudinally from the se-  
cond molar of one side to the incisor  
teeth of the opposite was divided with  
a saw - To prevent suffocation a ligature was  
<sup>passed</sup> through the tip of the tongue and held by an  
assistant - also the lingual artery tied  
and ligatures passed around a portion  
of the side of the tongue strangulating  
the diseased part - This is an opera-  
-tion of great difficulty to perform -  
and in this case - very uncertain in its  
result - The constitution is much im-  
-paired - and the disease may return -



<sup>2. of</sup> The nutrient arteries of Lungs have <sup>veins</sup> no returnings  
which is an anomaly in the Circulation of the  
Human body. "

One thing is certain; that the first sound commences,  
continues, and ends with the contraction of the Heart.  
The contraction of the heart is the cause of the first  
sound. The heart contracts on the blood in the left  
ventricle and forces it into the aorta, then the  
heart rests - and there silence - only broken by  
the closure of the aortic valves - which  
makes the second sound.

~~The~~ The certain sign of mitral regurgitation is heard  
alone behind with greatest intensity between  
the 7th & 8th vertebrae to the left and near the spine [2]  
The evidence of aortic disease regurgitation are  
best heard over Semi-lunar valves -



Case 28. - A man who is having  
an artificial eye - at this time  
the eye is not in a suitable condition  
- for its introduction - in the first  
place all the fungus growth by small  
scissors - after which a wash must  
be used up to the time sulph. copper

Case 29. A child of about 6  
years old - was treated by puncturing  
the sac & removing 1 or 2 drachms  
at a time - then putting a cast  
of plaster of Paris - containing  
2 weeks then drawing of 2 Ma  
ore drachms and then a  
cast nothing else done in  
this case



Case 30 A child - with club-foot of one year old - Take a small scalpel and cut from without in passing a knife under the skin longitudinal dividing the tendon and then leaving the part.

Case 31 Girl 6 years old from inflammation the uvula is elongated - so much so as to make deglutition difficult - was removed very easily by the proper instrument for that kind case. Caution is necessary not to cut the carotid artery which runs in the back part of the Gland - Do not forget this in practice



January 2<sup>d</sup> 1850—  
Prof. Pancost Takes charge  
of the Surgical clinic—

Case 1<sup>st</sup> A fibrous Tumor on  
the Tongue of the size of an  
almond— Removed by holding  
the Tumor with a pair of forceps  
cutting on each side— arrested  
the hemorrhage by ice—

Case 2 Polypi— of the nose  
For the extracting of which use  
forceps— in this case 6 or 8  
large polipy were extracted  
hemorrhage can be arrested by  
sponge passed through



Case 3 Ectropion of the eye lid.  
The commissure of the eye being  
elongated - Removed the deformity by  
cutting out a triangular bit and bring-  
ing the edges together - by sutures  
nothing else required in the case.

Case 4 Tumor of the upper  
eye lid - Operation by incision  
in the direction of the eye lid  
passing the finger into the eye  
or under the lid - and then tur-  
-ning the tumor out - and put-  
-ting a suture through the div-  
-ided -



Case 5 Fistula Lach-  
-ymalia - Of long stan-  
-ding - treated by making an  
incision with a sharp pin  
til history - into which incis-  
ion a silver style is to be intro-  
-duced - in a few days the style  
is to be removed -

Case 6 Umbilical Hernia  
of a small child -  
treated by passing a segme-  
nt of a gutting into the  
cavity over which a ban-  
-dage of adhesive plaster  
is placed - and kept  
there for many months



Case 7 A cicatrice producing contraction of the arm - & remedied by cutting the contracted part - into which a slip of skin of the sound part - was placed -

Case 8 - Enlargement of the Testis - its glands - Removed with the instrument for that purpose

Case 9 Equine Varico - of many years standing - The nature of the deformity requires the division of the Tendo Achillis - which was done with a small scalpel raising up the skin - and then dividing the tendon -



Case 10 Whitlow - Treated with  
a leg pontice - after which it  
should be opened if required -

Case 11 Boy about 12 years old  
internal strabismus of the right  
eye in this case divided the  
Tendon of the internal rectus mus-  
cle - giving little or no pain or no  
hemorrhage

Case 12 Boy 8 years old -  
Double strabismus - Thought  
to be too young to operate -  
Never operate for strabismus on a  
person under 8 years old - for  
the reason that the muscles have  
not got their proper situation  
and lengths -



Case 13 - False ankylosis of the elbow joint - the result of keeping the arm in a splint for two weeks - Recommended the patient to make passive & rotatory motions once per day - using more or less liniment freely applied

Case 14 A Boy - who received a stroke on the head - result was hemorrhage from the ear such cases are attended with much danger - on account of inflammation of the brain purge bleed - &c according to the nature of the case & calomel is the Sampson under such circumstances.



Case 15 One of much interest  
as the amputation is required by  
white swelling - he was getting from  
the bed the thigh was fractured -  
Dr. Muter thinks one operation is as  
good as another - flap or circular  
be careful and leave flap enough to  
cover the stump - in this case the  
circular operation was performed -  
ligatures were then applied to all  
the bleeding vessels - twenty minutes  
then elapsed before the dressing  
was applied -



Case 10 - Teaching my performance  
for the relief of cough - A. Lane  
- out says he has performed the opera-  
-tion with success in one dozen o-  
-perations within the last year - when  
he was confident death would have  
been the result without so doing -  
commence thus - enter your knife at  
the lower part of the cervical cartilage  
and cut down to within an inch of  
the sternum through the skin on  
ly - Then introduce your director at  
the lower part of the wound drill -  
ing the force - then with the handle -  
around the isthmus place a  
ligature on each side - then di-  
-vide it. Now pass a Tomes's  
- through the trachea - & hold it in -  
- only - making an opening large



enough for the passage of air fully - & remove the false membrane &c. leaving the opening exposed until the danger in the case is over - if the inflammation indicates it a strong solution of Nitrate Silver may be used with advantage from time <sup>to time</sup> - in the course of a few days the parts may be coagulated &c. - A small triangular space may be taken out in order that the air may pass more freely -

Hospital Clinic Surgery  
Case Performed by Norris -

Claw of the foot removed  
The os cuboides and the bones  
in front -



Case 19. Large abscess over the  
region of the scapula - open-  
ed it at the lower part of the  
tumor discharging a large qu-  
antity of pus -

Case 20. Hydrops of a man's  
-ovary - Draw off the serum &  
then inject the cavity in which  
the serum was contained with  
the diluted tinct of Iodine dil-  
uted 2 or 3 times - in injecting  
this fluid be careful and  
not let the air enter - Throwing  
it in & out 3 or 4 times without  
taking out the nozzle of the in-  
strument - continue this proce-  
-ss - until pain is felt in the  
course of the ovid - Then



drawing off all the fluid.  
this in the great majority  
of cases will effect a cure

Case 21 Cancer of the lower lip  
of some months standing—  
The operation was performed thus  
cutting away the greater part  
of the lower lip & a portion of  
the upper in the angle—  
The arteries were then ligated  
being branches of the facial—  
Then the incision was continued  
down to the angle of the jaw &  
bring the flap up into the part  
from which the part was  
removed— nothing more re-  
quired in the case— then bring-  
ing the parts together with  
sutures &c—



Case 22 Acute Symptitis of a few days standing - in the first place Apply a splint - bleed purge &c. be careful in such a case -

Case 23 A case of phlegmonous erysipelas - can be cured by the application of Nit. Sit - or, Tinct of Iodine - purge &c

Case 24 Cause of distorted limb which has been thought hard to cure - can be readily cured by the application of a bandage in a few weeks - Do not forget this -



Case 95 A large tumor of  
slow growth - not effecting the  
constitution - in short it is  
a benign tumor - it is as  
hard almost as marble - It is  
almost as large as a half Bushel  
The exploring needle was introd-  
uced in order to determine its  
nature - The chloric ether was  
given - & Then a crucial inc-  
ision was made into it - &  
the entire skin was stripped  
off - every artery that was div-  
ided was ligated immedi-  
ately in order to prevent hemor-  
rhage as far as possible  
it was principally skinned out  
by the finger - using the knife  
but little - On cutting into  
it, it was found sero-fibrinous  
The part from which it was removed



was exposed to the air until it was coated over with a smooth surface - then the skin was brought together through which ligatures were passed - & the operation was over.

Case 26 Small aneurism on the forehead - - treated thus the only segment was cut out and hair lip pins passed through it - -

Case 27 A large tumor situated at the inner part of the thigh - which is soft & flabby - and has a pointed extremity - an incision was made through the tumor and it was skinned out without using the knife - which principally consisted of fat - or rather fibrous in places - Chloric ether was given and the patient was not in the



Least sensible to the operation  
the hemorrhage did not exceed  
one gill altogether - a few sutures  
were passed through the skin  
and light dressing applied  
If symptoms of inflammation are de-  
veloped Dr. Parcost recommended  
The Tenth of a gr. of Tar. Emul. & Tenth  
gr. Sulph. Morphia in mucilage  
given pro-re-nata in such cases.

Case 28 - Inflammation of the lymphatic  
glands - of the hand - a very severe  
disease - put a blister all over the  
limb purge give opium - a good  
diet Blister is the Sampson in the  
case - look out for such cases -



Case 29 Disease of standing - sem-  
inal emissions - peculiar to some per-  
sons - in this case give the cold  
bath good diet Muriale Tinct iron  
& Tinct Canthar - given together -  
until strangury is produced -  
If this will not do an instrument  
in which Nit silve is to be introduced  
at night an injection of 5 drops of lau-  
danum with an ounce of cold water

Case 30 Removal of the Tonsel which  
should never be removed if the gland  
be soft - there is no necessity for the  
removal of all this gland Dr. Muter  
says in 99 cases out of 100 this will  
be sufficient -



Case 31 Fistula - lachrymalis

In this case a Gold style was introduced if inflammation follows. Take it out immediately

Case 32 Caries of the wrist - for which it becomes necessary to amputate the fore arm - he says never amputate the arm so low down that you have not sufficient skin & muscles if hair is present always shave it off - if you take up a nerve with the so that screams out cut off the ligature - always - Take up all the arteries & then let the wound be exposed until all the bleeding ceases - in this there was not half an ounce of hemorrhage



Case 33 A case where a Boy had a urinary calculus ~~was~~ which lodged in the urethra - and produced ulceration - at the back part - which was tried to be relieved by passing a ligature around the opening in the same way that you would in an artery -

Case 34 Case was this boy 12 years old laid out one cold night - frozen both feet badly - in the morning from the history of the case - He was warmed too rapidly the result of which was one and perhaps both feet will have to be amputated which was done about 4 inches from the ankle - cutting is nothing - the secret is in taking up the arteries without including the nerves - for when they are included the ligatures must be cut off -



Case 35 Gathered Breast - the result of acute inflammation - in such cases - apply many leeches and afterwards lead water - then use tart. emetic - to the extent of producing nausea.

Case 36 A Bay - single hair lip after eating all that is necessary then introduce 2 or 3 pins as the case may be

Case 37 one of great interest - In this case the chloroform was given - Hee has had inflammation of the lower part of the abdomen involving the scrotum & one of the testicles is much retracted and there festus opening in the urethra about midway - The testicle was partly adherent to the penis



after this was overcome

Case 38 Cataract <sup>the eye in</sup> of an old man - the operation in this case is couching which was cut in several parts - & the hard part couched - The lens was then left in its place -

Case 39 Cataract in the eye of an old woman - Dr. Pancoast always cuts through in a manner to miss the iris &c. all this is done by a curved needle

Case 40 Lupus Erythematosus  
it is an incurable disease  
apply the Gun cotton in & thus  
over the diseased part also  
give Donovan's solution  
in various kinds of ulcers this



Gum cotton in situ will be  
attended with good —

Case 41 A curious case of a  
tumor of blood immediately and  
in the eye treated three. The part  
enlarged ~~was~~ increased in a way  
to prevent deformity the tumor  
peeled out with the handle of the  
scalpel — &c

Case 42 Boy 14 years old — en-  
largement of the mamma — giv-  
ing or secreting milk — always  
in such cases — have the gland  
washed with soap & water.



Case 43 a child one year  
old - contraction of the leg on  
the thigh a result of infla-  
-mation - to be treated by a  
an instrument for the pur-  
-pose of straightening the limb  
which is to be done grad-  
-ually - good diet tonic bath  
salt bath

Case 44 Ostio Sarcornico  
The chloroform in this case  
- was again given - as this  
same woman was operated  
on in the fore part of the ses-  
-sion - don't forget in this dis-  
-ease it is liable to return



Case 45 Small tumor situated below the eye - made the incision in the direction of the eye - & with forceps removed it - this was removed on the inner side of the eyelid -

Case 46 Nevus materni - an earisual tumor on the head treated by making an elliptical incision round it & after its removal passed through a pin &c. over which a bandage was applied.

Case 47 Oscillation of the eye with strabismus - Relieved by cutting the internal rectus



Case 8 Incondroma -

A large tumor on the outer side of the thigh - it is very sensitive and of a bluish color an incision was made into it and then with the thumb it was peeled out without giving origin to much hemorrhage -



